








Live a Carefree Life



Manufacturer

No.8, Zhugushi Chunyang Industrial Park, Longgang Street, Longgang District, Shenzhen City, Guangdong, China **Tel.** +86 178 1777 7308

Email: sales@kellyunion.com

Branch

Room 2509, Building 1, Financial City, No.5, Shiji Avenue, Chengnan District, Yancheng City, Jiansu, China **Tel.** +86188 6199 9978 Email: wendy@kellyunion.com



















Post-Surgical Monitoring Equipment P08



Diagnostic Equipment For Surgery P11



Auxiliary Diagnostic Equipment P15



Treatment-Rehabilitation Equipment P21



Auxiliary-Drug Delivery Equipment



Vet Warming And Drying P30



Household Vet Daily P33





Apollo2-in-1Vet Laser Therapy and Surgery Device



- Deep healing can be achieved using touch therapy
- Reduce surface scattering and reflection
- Laser treatment combined with manual massage
- Enables treatment of deep tissue injuries
- Shortens treatment time and reduces pain symptoms

Application



TTOL-D5 **Surgical Lamp Mobile Version**



Features

- Illuminance: ≥40,000-180,000Lux(Adjustable)
- LED Quantity: 6l pcs
- Service Life:> 80,000h
- Colortemperature: 3700~5000K(Adjustable)
- Size of light field:160~280mm

Optional Lamp Model



DTS-280 Veterinary Dental Workstation



Features

- X-ray shooting
- Integrates cleaning, grinding, polishing, cutting
- Mounting bracket and arms for dental DR
- All-in-one monitor with touch screen
- Vet dental imaging software

DRT-40Vet Vet Digital Radiography Imaging System



Features

- X-Tube CANON Rotating Anode Tube
- X-Tube Focus spot:1.0/2.0mm
- X-Tube Max voltage:125kV
- High Voltage Generator:120/220V 32kW 400mA
- Flat Panel Detector: a-SiTFI Csl Sensor



DD-75T Veterinary Electrosurgical Generator



- Only 3.5kg Light and Compact
- Power supply Voltage: 110/220VAC
- Maximum Output Power:75W
- Working Frequency: 600kHz (for cutting), 300kHz (for coagulation)
- Ambient Temperature: 5~40°C

Back View



KV-W100 Animal Infusion Pump



Features	
Application	Vet Clinic
Function	Vet Emerfgency Care
Feature	Reusable
Usage	Medical Products

Medical Vet Infusion Pump

Application

Keywords



KV-WSPA112 Vet Syringe Pump



Features Screen 3.5 inch LCD screen for clear vision Syringe Size 5/10/20/30/50/60ml Material Plastic & metal Rate, rate time, rate-VTBI, time-VTBI, Body weight Infusion Mode

20 drug list with drug code display

Drug Library

UC-1801 Pet Incubator



Features - illumination Function - Carbon Dioxide Concentration Monitoring - System Accurate Temperature Control - Sterilization Function - Negative-ion Generation

VET SURGICAL EQUIPMENTS



TA100V Veterinary Anesthesia Machine



- Suitable for an esthesia of cats/dogs/monkeys/pigs and other animals under 100KG
- Operation Mode: Semi-closed, open breathing circuit for option
- Flow Range: 0-4L/min
- APL: 0.2-7.0Kpa
- O2 Flush: 25-75L/min high oxygen flow

Optional Model 60V/80V



KV-W600VVeterinary Anesthesia



Features

Material	Metal Plastic Steel
Tidal volume(Manual Mode)	10~2000ml
Gas pressure	0.25~0.65Mpa
APL Valve	0.5~6.0Kpa
OXYGEN Flush	25~75L/min

Application



KV-04IAZ Veterinary Anesthesia Laryngoscope



Features

- The laryngoscope lens is made of 304 medical stainless steel
- Lighter blades make the doctor's operation easier
- Super hardness makes the blade more durable $\,$
- Can be sterilized at 134 degrees Celsius.
- Advanced design, beautiful appearance, smooth surface is easy to clean.

Application



APNEA

VET Apnea Sensor



Features

- Compact &light weight
- Easy to Use
- Sensitive to Apnea
- To Turn on Automatically
- To Turn off Automatically

Application



6

VET SURGICAL EQUIPMENTS



- Classical folding table with non-slip rubber surface.

- Stable and durable stainless steel legs.

- Dual functional grooming arm.

-30"L×19"W×32"H

-75cmL×47cmW×82cmH

Optional Color

VET SURGICAL EQUIPMENTS





KV-TH1

Anesthesia Ventilator



Features

Respiration Mode	IPPV, Manual
Tidal Volume	50ml ~ 1600ml
Breath Frequency	1~90BPM
Driven Model	Pneumatically Driven and Electrically Controlled
Display	High light LED display

KV-BR6200 **Veterinary Monitor**



Features

- One key operation
- Portable and light weight
- APP for Android and IOS
- Easy to operate with type-c connector
- Rechargeable battery and wireless charging
- Multi-function for SpO2, HR, Temp, ECG, RR and NIBP

Accessories



SpO2 Sensor





ECG & Temp Cable Type-C Charging Cable







ECG Electrode Clip Disposable NIBP Cuff

IE-12V

Multi-parameter Veterinary Monitor



Features

- 12.1inch HD Touch Screen
- Interference protection
- Manual, Automatic and Continuous modes
- Standard Parameters: SpO2,NIBP,ECG,PR,TEMP,RESP
- Optional Parameters: 2-BP/EtC02/loC/Thermal printer /VGAoutput

Accessories

















POST-SURGICAL MONITORING EQUIPMENT



IE-8V **Bedside/Cagemount Monitor**



Features

- Portable handle and compact design, use for bedside, cagemount, desktop or wherever for clinical needs.
- 8.4" HD touch screen
- Built-in rechargeable battery for up to 5 hours working
- Six Standard parameters: ECG, RESP, NIBP, SPO2, TEMP, PR/HR
- Optional Mainstream/Sidestream EtC02





Capnometry Veterinary Mainstream EtCO2 Monitor



Features

- Small and Portable
- DataTransmission
- OLED Display of waveform and digits
- High Waterproof Grade
- One-key Easy Operation

Optional Color



EZ Breath Sure

LED Apnea Monitor



Features

- Apnea Monitor with Visible Display
- Large-capacity battery, long working time for 40 hours
- Built-in Lithium battery, Type-Cinterface charging
- LED digital displays respiratory rate and alarm
- Available to measure respiratoryrate, Apnea alarm, Exceed-limit

Optional Color



KV-X100 Urine Analyzer



Features

- Ergonomic design for point of care
- Suitable from big to small animal
- High resolution 3.5." color LCD display
- Selectable working modes: spot check and continuous monitoring
- Classic SpO2/TEMP/NIBP measurement availble

Accessories





KV-A3 **ECG Machine**



EP60V **Veterinary Color Ultrasound System**



Features Protection against defibrillator effect Input Circuit Floating Туре Portable 12 leads ecg touch screen ECG Voltage Tolerance 500mV Operation Mode Manual/Auto

Features - 14inch HD LCD screen - Multi-angle adjustable for screen wide viewer - Standard 2 probe slots, 3 slots for optional - Internal lithium battery - Satisfy movement scene of diagnosis

KV-WUB-W1

Portable Veterinary Ultrasound Scanner



Features

- 2D image 5.6 inch LED HD display
- Various of pseudo color display
- Winter mode: one key to start the winter mode
- HD video playback and image storage function
- Large capacity lithium-ion battery (more than 6 hours)

Accessories



KV-1600B

Color Doppler Ultrasound Diagnostic System



Features

- Charging mode: wireless
- The effective transmission distance of WiFi connection is not less than 10 m $)\,$

12

DIAGNOSTIC EQUIPMENT FOR SURGERY

- Image flip function
- 8-segment TGC adjustment
- Storage function of DlcoM file

Application





BC-401 Urine Analyzer



- Testing Items: GLU, BIL, SG, KET, BLD, PRO, URO, NIT, LEU, VC, PH
- Testing Theory: RGB tricolor
- Repetition: CV<1%
- Stability: CV < 1%
- Display: 2.4" color LCD

Optional Model



300G VET

3 Channel Electrocardiograph



Features

- 3.5 inch TFT Screen
- Specific animal software
- Unique animal ECG accessories for different species
- Printing paper: 80mm*20M
- Dimension: L315*W215*H77mm

Application



KV-HFC Fundus Camera



Features

Screen	3.5" full color LCD
Field of View	40°
Minimum Pupil	2.5mm
Refractive Compensation	-20D~+20D
Resolution	Full HD true 1920 1080

KV-BL50 Veterinary Slit Lamp



Features

Еуеріесе	10X and 16X
Objective Lens	1X
Diopter Adjustment	±5D
Visual Field	10mm
Working Distance (WD)	78 mm

Optional Model



14

DIAGNOSTIC EQUIPMENT FOR SURGERY

- Dual tubing, Dual head, Soft eartips

- Total lenght: 74.5 cm, Large diaphragm: 40 mm, Small diaphragm: 26 mm

 $\hbox{-}{\sf Zinc\,alloy\,chestpiece\,and\,aluminium\,binaural}\\$

- Acoustic sensitive

Optional Model

AUXILIARY DIAGNOSTIC EQUIPMENT



Small Diaphragm: 35mm

KV-2025Cardiology Stethoscope



Features

- Designed to improve auscultation in the low frequency area giving a better evaluation of heart sounds
- Acoustic sensitive
- Dual head, Soft eartips
- Total lenght: 72.5 cm, Large diaphragm: 44 mm
- Stainless steel chestpiece and aluminium binaural

Optional Model



Small Diaphragm: 30mm

KV-T310BENT Diagnostic Unit



Features

3X Magnification

Direct illumination

LED White/LED Sunlight

Compatible with disposable ear speculums

Larger viewing window/Pneumatic Testing

Application



KV- BR1000A-I

Veterinary Oximeter



Features

- Light weight, easy-to-use

- Pulse rate value, SpO2 value display

- Perfusion index, pulse rate waveform

- Lower consumption and low voltage reminder

- Real-time data transmission to PC and phone, real time storage in $\ensuremath{\mathsf{app}}$

Application



KELLYUNION

KV-KTS60D-VET Animal Oximeter



Features

- Display of PR value, pulse waveform and bar graph
- Adjustable screen brightness, PR sound indication
- Review function.Clock function
- Audible prompt for over-limit and low battery
- Battery status indication
- Low battery indication

Application



KV-P10

Pet intelligent Electronic Blood Pressure Meter



Features

Dimensinos 126 (length) * 120 (width) * 160 (height) mm Screen size 81*101mm Machine weight about 435 grams (excluding dry batteries and stabilized power supply) Operation mode Continuous operation Maximum saturation sound pressure level 129±3dB	Number of memor	y groups	90 groups of two	o-zone memory
Machine weight about 435 grams (excluding dry batteries and stabilized power supply) Operation mode Continuous operation	Dimensinos	126 (lengt	:h) * 120 (width)* 1	60 (height) mm
Operation mode Continuous operation	Screen size			81*101mm
	Machine weight	about 43		
Maximum saturation sound pressure level 129±3dB	Operation mode		Contin	uous operation
	Maximum saturation	on sound pro	essure level	129±3dB

Accessories



KDV-03

Vet Digital Rigid Thermometer



Features

Material	Metal, Plastic
Measurement Accuracy	32.00°C~42.99°C(90.00°F~109.90°F)
Testing time	16 Second
Accuracy	±0.1°C 35.00°C~39.00°C
Battery Type	2×AAA

Rapid Measurement Model



KV-BGM01

Pet Blood Glucose Meter Kit



Features

- Fresh whole blood (capillary, venousarterial) can be used for testing for veterinary clinics
- Test time: 5 seconds
- Measurement range: 10 to 600 mg/dL(0.6~33.3 mmol/L)
- Sample Volume: 0.5uL
- Memory: Up to 300 records with date and time

Accessories



18

ENT

AUXILIARY DIAGNOSTIC EQUIPMENT



KV-IR206Pet Non-contact Infrared Thermometer



- Simple Hygienic Temperature Reading
- Calibrated For Dog's Body Temp
- Ultra Fast and Accurate
- High definition LCD display screen

Measurement range

89.6°F-109.2°F (32.0°C-42.9°C)

Temperature Alarms





KDV-05Vet Digital Flexible Thermometer



Features	
Color	Green White/Blue/Customize
Accuracy	±0.1°C
Usage	Zoos, livestock farms
Measure Range	32°C-42.9°C/ 89.6~109.22°F
Battery	Button battery

Application



KD-203AY-4 Headlight with Magnifier



Features

- Light source: 3WLED
- Color temperature: 4000~5000K
- Bulb life: ≥50000h
- Illumination: ≥12000Lux
- DC charging time: <5h

KV-300 Woods Lamp



Features

- UV phototherapy device good assistant, easy to detect skin conditions
- High brightness, observe normally in daytime, and the effect is better in dark environment
- No need preheating, observe and use at any time
- Hand-held operation, fexible observation position
- Small and convenient to carry, observe and monitor the recovery of pigment and skin damage at any time

Optional Model (without filter)



20

AUXILIARY DIAGNOSTIC EQUIPMENT



KV-WHP600Hyperbaric Oxygen Chamber



Features	
Power	1210W
Air Flow	65-72L/Minute
O2 Flow	0-10L/min adjustable
O2 Purity	≥93%
O2 Outlet Pressure	0.05mPa

KVL-01Portable Vet Laser Treatment Device



Features

- Therapy Applications: PainRelief Cure Knee Arthritis Rheumatoid
- Arthritis and Athletics System Injuries
- Soft Tissue Injuries and Sports Injuries & Sprain
- Wound & Ulcer Acupuncture and Diminish Inflammation

Optional Color



Airway-SureET Cuff Pressure Manometer Airway-Sure



Features

- Safe: Real-time detection of the cuff pressure during the whole intubation process $\,$
- User-friendly: Easily measure the cuff pressure of cuffed airways without operation
- Intuitive: Digital pressure readout marked in different colors
- Reliable: The optimal cuff pressure between 20 and 30 cmH20 is suggested by the clinical evidence(+/-2 cmH20 accuracy)
- Convenient: Pocket-sized, light-weight, and can stay at the patient's bedside

Accessories



TA-ETTSC17S

Endotracheal Tube with or w/o Cuff



Features

- Endotracheal Tube with Cuff/ without Cuff
- Material: PVC
- Anesthesia and breathing circuits: inner diameter 2.0/2.5/3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5/7.0/7.5/8.0/8.5/9.0/9.5/10.0/10.5/11/12/13mm

Application



TYPE: CUFFED
I.D.: 9.0mm
O.D.: 12.0mm
Cuff: 29mm

22

TREATMENT-REHABILITATION EQUIPMENT

TTCat1 **Cats Tracheal Tube**



- Avoid the problems caused by ET tubes such as laryngeal and tracheal trauma
- Suitable for small kittens to adult large domestic breeds
- No laryngeal damage/spasms
- No tracheal trauma
- Protects airway from reflux/regurg material

Optional Model



TA-VADGC8G Disposable Gas Filter Canister



Features

- With PP material, safe and non-toxic
- Built-in filter sponge, offer good sealing and strong filterability
- Better prevent the anesthetic contamination of the operating room to the veterinarian
- 250g and 800g for options(weight of active component)
- Design to absorb anesthesia waste gas such as ISO, HAL, ENF, etc

KV-P03 Pet First Aid Kit



Features

- The content can be customized

Qty/ctn	100 sets
Ctn/size	50*50*28cm
Gw	14kg
Nw	13kg

Contents	Size	
PE Band-Aid	72*19mm	5Pcs
Adhesive Wound Dressing	6*7cm	1Pc
Small Scissors	9cm	1Pc
Non-Woven Tape	1.25cm*4m	1Pc
Bandage Triangulaire	96*96*136cm	1Pc
PBT Bandage	5cm*4.5m	1Pc
Cotton Swabs	8cm	10Pcs
Plastic Tweezers	10.5cm	1Pc
Self-Adhering Bandage	2.5cm*4.5m	1Pc
Pet Tweezers		1Pc
Eye Wash	15ml	2Pcs
First Aid Kit	14 *11*5cm	1Pc

KV-37 Mosquito Mask For Horses





Features

- Material: polyester + nylon fiber
- Product color: black, gray, purple
- Protect your horse from mosquitoes and flies
- Does not affect the sight and eating horse material
- Two ways to wear

Application





KV-17 Pet knee straps



- Eco-friendly material
- Contains infrared heat to keep warm
- Equipped with velcro for maximum adjustability
- Two strands are easily adjustable
- Stretchy, snug fit

Application



KV-29 Knee Strap Walker



Features

- Assistive support for dogs with leg injuries, fractures, patella dislocations, and surgeries
- Relieves pain due to injury or surgery
- Provides support and stabilization during injury
- Prevents pets from licking leg wounds
- Helps with loss of stability caused by arthritis

Application



Veterinary Diagnostic Kit



Features

High Sensitivity And High Specificity
Rich variety of pet rapid test
Fast results. Result are ready within 10 minutes.
Easy to use. Simple procedure with few steps.
Little or no special equipment required.

KV-WNKSVisual Artificial Insemination Gun



Features

Endoscope Probe	44cm
Input	100-240V AC 50/60HZ 0.15A
Output	5V DC 1000mA
Charging	Built-in battery, USB charging
Continuous Working Time	2h



KV-WKS
Vet Insemination Gun



Display Size	377mm*247mm
Pixel	5 million, Air passage: 2mm
Handle	Total Length 490mm
Observation Channel	2mm
One-time Vas Deferens	66cm

KV-02 Pet Medicine Feeder



Features

- Product material: edible silicone + environmental protection plastic material

 Product color: red, blue, green

 Product specification: 15*16cm

 Supplied with open and non-open hose
- Syringe is made of ABS material Transparent

Application



KV-10 Anim Spacer



Features

	Specification	175m With inhalation one way valve & exhalation valve
-	Spacer Height	141mm±1mm
	Spacer Body Diameter	46mm±1mm
	Spacer Weight	46g±1g

Application



TA-VAMS6

Veterinary Anesthesia Mask



Features

- Applicable to all respiratory anesthesia machines
- Unique adapter: animal anesthesia first aid oxygen inhalation atomization
- Application: dogs, cats, pigs, rabbits, birds, mice, rats and other animals
- International standard interface 15mm/22mm

Storage Sets



28

AUXILIARY-DRUG DELIVERY EQUIPMENT



TA-VAOS5 Veterinary Oxygen Mask



- Used with most oxygen equipment
- Used with an oxygen compressor
- Used with oxygen transport and rescue systems
- A venting prevents CO_2 from building up in the mask
- Multiple sizes to choose

Storage Sets



TA-BS5L **Breathing Bag**



Features

- Capacity: 23L/18L/16L/12L
- Chamber Size(mm): 23L 245X150mm 18L 245X350mm
- No pungent smell. Softhandle, smooth touching
- 22mm standard connector
- With netand smooth surface, no pinholes and dirt

TTDC-09IT **Veterinary Infrared Therapy Cage**



Features

- Each chamber is equipped with an infrared physiotherapy lamp
- Has good healing effect on wound healing
- Dimensions(L x W x H): 1500*700*1860mm
- Upper cage(L x W x H): 500*700*610mm
- Lower cage(L x W x H): 1500*700*820mm

TTICU-4V **Animal Intensive Care Unit**



Features

- With 4 Controllers
- Dimensions(LxWxH): 1400*890*1910mm
- Upper cage (LxWxH): 700*890*800mm
- Lower cage(LxWxH): 1400*890*1000mm
- 4 chambers combination

M600V Warming System



KV-C4 Pet Hair Dryer



Features

HPP30

Far Infrared Ray Pet Heating Pad

- Temperature range 25-45 degrees, PVC flame retardant and waterproof material.
- Timing 6 gears temperature adjustment
- Anti-bite material is safe for naughty pets
- Low temperature soft heat
- 5MM unique insulation layer to prevent heat loss downward

Features

M500V

Warming System

- Help to maintain pets temperature before, during and after surgery
- Reduce pre-oprerative period danger
- 5 Levels of temperature (Ambient, 34°C, 37°C, 40°C and 43°C)
- Accurate air temperature delivery with hose-end temperature sensing
- Quietoperation

Accessories



Features

- Perioperative Temperature Management Safe & Powerful & Simple
- 5 Adjustable Temperature: 32°C, 35°C, 38°C, 41°C, Ambient air
- Airflow Modes: High: ≥230CFM, Middle: ≥28CFM, LOW:≥26CFM
- Interface: OLED Display
- Noise: ≤52dB (High fan setting)

Optional Trolley



Features

- Wind speed adjustable, high and low temperature adjustable

Power	2000W - 3200W
Voltage	110V-127V or 220V-240V
Wind speed	30M/S ~ 90M/S (adjustable)

Optional Color

Temperature



30°C - 70°C (adjustable)

31

Power Supply



PET Self-adhesive Bandage



Features	
Material	95% nonwoven + 5% spandex
Glue	Natural latex
Elaticity	180%-210%

Pure color

Application

Color



KV-43 Equestrian Leggings




Features

- Effectively protects the ball joints against ligament strain during strenuous exercise.
- Thickened fleece
- Easy to put on and off
- Fluffy and elastic
- Easy to use
- Length 250cm Width 12cm

Application



KV-28 Pet Bedsore Pad





Features

- Suitable for families, inpatient departments of animal hospitals diagnosis and treatment tables, operating rooms, kennels
- Memory material
- Constant temperature and comfortable
- Permeable and breathable

Application



34

Color

Size

Adult Diaper;Pants Diaper; Sanitary Napkin; Under Pad; etc

Blue, Pink, Green or Customized

33*45cm/60*45cm/ 60*60cm/

60*90cm/Customized



Main Products



KV-7021 4 in 1 Pet Grooming kit IPX7



Features

- Whole-Body Waterproof IPX7

- Stainless blade & ceramic blade

- Rechargeable Ni-MH battery 2.4V 600mAh*2

- Working time: around 1 hour

- Charging time: around 5 hours

Optional Heads



KV-32-1 Pet Hind Limb Assist Belt



Features

- Designed for disabled dogs, middle-aged and elderly dogs.
- Rehabilitation training, stairs assistance
- Various ways to use
- Meet the needs of different environments
- Easy to wear

Application



KV-S101 Pet Hind Leg Support Belt



Features

- Suitable for backlash, postoperative recovery
- Breathable and comfortable, the pet will not be stuffy and hot to wear for a long time
- Reserved grooves will not affect your pet's urine
- Double fixed with velcro and buckle, will not fall off easily





HOUSEHOLD VET DAILY

36